

FIG. 1








FIG. 2






.






Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet



Error Bars show Mean +/- 1.0 SD

Bars show Means




Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet


treat
Control
In Control
In IFN - 2 days prior
In IFN - upon reperfusion
IFN - 3h after reperfusion


Error Bars show Mean +/- 1.0 SD


Bars show Means





Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet
















Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet










FIG. 11




13/21


treat
Control
EIN-2 days prior
EIN-4h after stroke onset
EIN-5h after reperfusion
Error Bars show Mean +4-1.0 SD

Bars show Means



Appl.No. 10/678,957 Docket No.: 2183-6141US Amdt. Dated September 9, 2005 Reply to Office action of June 7, 2005 Replacement Sheet





16/21

treat

Example on the control

Example of the control




FIG. 16




FIG. 17

